Alchemy Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0493/16
Date : 13 September 2016

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 1**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.8	7.9	-
Dissolved Oxygen	APHA 4500-O C	mg/L	5.3	5.6	5
Total Suspended Solids	APHA 2540 D	mg/L	42	56	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.8	0.6	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.10	0.11	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.01	0.01	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	ND (<0.01)	ND (<0.01)	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	4.0	4.5	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.5	28.5	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0494/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 2**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	7.9	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.8	7.0	5
Total Suspended Solids	APHA 2540 D	mg/L	30	41	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.8	0.8	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.18	0.19	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.03	0.02	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.13	0.13	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	<1.8	2.0	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.5	28.5	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0495/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 3**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	7.9	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.7	7.0	5
Total Suspended Solids	APHA 2540 D	mg/L	38	27	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.6	0.4	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.12	0.28	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.01	0.01	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.05	0.07	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	7.8	22	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.5	28.4	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0496/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 4**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	7.9	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.2	6.6	5
Total Suspended Solids	APHA 2540 D	mg/L	22	20	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.6	0.8	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.06	0.16	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.02	0.02	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.04	0.15	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	13	13	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.3	28.2	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy
Laboratory & Services Sdn Bhd
Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY
MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0497/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 5**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	7.9	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.9	7.0	5
Total Suspended Solids	APHA 2540 D	mg/L	25	25	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.8	0.6	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.13	0.10	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.01	0.01	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.06	0.05	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	4.0	6.8	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.2	28.2	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy
Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0498/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 6**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	8.0	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.8	7.0	5
Total Suspended Solids	APHA 2540 D	mg/L	29	38	≤ 50
Oil and Grease	APHA 5520 B	mg/L	1.0	0.6	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.21	0.17	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.02	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.03	0.03	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.08	0.07	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	17	23	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.2	28.2	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0499/16
Date : 13 September 2016

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 7**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	8.0	8.0	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.3	6.6	5
Total Suspended Solids	APHA 2540 D	mg/L	32	37	≤ 50
Oil and Grease	APHA 5520 B	mg/L	1.0	1.0	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.17	0.40	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.02	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.03	0.01	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.04	0.07	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	4.5	17	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.2	28.3	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.

Alchemy
Laboratory & Services Sdn Bhd

Alchemy Laboratory & Services Sdn. Bhd. (903112-K)
326B, 1st Floor, Lot 2520, Jalan Hiliran, Mukim Losong,
20300, Kuala Terengganu, Terengganu, Malaysia.
Tel: +609 - 622 4166, Fax: +609 - 622 4177

STANDARDS MALAYSIA ACCREDITED LABORATORY

MS ISO/IEC 17025
TESTING
SAMM NO. 554

Ref. No. : TR/W/0500/16
Date : 13 September 2016
Page : 1 of 2

Test Report

Client/ Customer : **Integrated Envirotech S/B**
Address : Lot 32-2, Jalan Setiawangsa 11A,
Taman Setiawangsa,
54200 Kuala Lumpur.
Sample Description : One (1) marine water
Date Received : 25 August 2016
Sample Marking : **SW 8**

Results of Analysis

Parameters	Methods	Unit	Results		MWQCS Class II
			Top	Bottom	
pH	APHA 4500-H^+ B	-	7.9	8.0	-
Dissolved Oxygen	APHA 4500-O C	mg/L	6.8	6.9	5
Total Suspended Solids	APHA 2540 D	mg/L	30	37	≤ 50
Oil and Grease	APHA 5520 B	mg/L	0.8	0.6	0.14
Nitrogen (Ammonia)	APHA 4500-NH_3 F	mg/L	0.13	0.24	≤ 0.07
Nitrogen (Nitrite)	APHA 4500-NO_2^- B	mg/L	0.01	0.01	≤ 0.055
Nitrogen (Nitrate)	APHA 4500-NO_3^- E	mg/L	0.01	0.02	≤ 0.060
Phosphate	APHA 4500-P E	mg/L	0.08	0.04	≤ 0.075
^Fecal Coliform	APHA 9221 E	MPN Index/100mL	2.0	4.5	100
*Mercury (Hg)	APHA 3125	µg/L	ND(<0.01)	ND(<0.01)	0.16(0.04)
*Cadmium (Cd)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2(3)
*Chromium (Cr)	APHA 3125	µg/L	ND(<0.3)	ND(<0.3)	10
*Arsenic (As)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	20(3)
*Lead (Pb)	APHA 3125	µg/L	ND(<0.2)	ND(<0.2)	8.5
*Copper (Cu)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	2.9
*Cyanide (CN)	OSRMA P.456	µg/L	ND(<1)	ND(<1)	7
*Zinc (Zn)	APHA 3125	µg/L	ND(<0.1)	ND(<0.1)	50
*Phenol	APHA 5530 B,D	µg/L	ND(<5)	ND(<5)	10
*Tributyltin (TBT)	APHA 6710 B	µg/L	ND(<0.01)	ND(<0.01)	0.01
*Polynuclear Aromatic Hydrocarbon (PAH)	APHA 6410 B	mg/L	ND(<0.1)	ND(<0.1)	0.2
Temperature	APHA 2550 B	°C	28.2	28.2	≤ 2°C increase over maximum ambient

The reported results refer to sample(s) submitted by client only. This report shall not be reproduced except in full without the written approval of the laboratory.