

## **Table of Contents**

## TABLE OF CONTENTS

---

	Page
Table of Contents	i
List of Appendices	vi
List of Abbreviations	vii
List of Figures	ix
List of Tables	xi
List of Charts	xiv
<b>EXECUTIVE SUMMARY</b>	<b>ES-i</b>
<b>RINGKASAN EKSEKUTIF</b>	<b>RE-i</b>
<b>SECTION 1 : INTRODUCTION</b>	
1.1 PROJECT TITLE	1-1
1.2 PROJECT LOCATION	1-1
1.3 PROJECT PROPONENT	1-2
1.4 EIA CONSULTANT	1-3
1.5 LEGAL REQUIREMENT AND THE NEED FOR THE DEIA	1-3
1.6 OBJECTIVE AND SCOPE OF THE DEIA	1-4
1.7 APPROACH	1-4
<b>SECTION 2 : STATEMENT OF NEED</b>	
2.1 STATEMENT OF NEED	2-1
<b>SECTION 3 : PROJECT DESCRIPTION</b>	
3.1 INTRODUCTION	3-1
3.2 PLANNING AND DESIGN BASIS	3-1
3.2.1 Planning Basis	3-1
3.2.2 Design Criteria	3-2
3.2.3 Geological and Geotechnical Considerations	3-3
3.3 KEY PROJECT COMPONENTS	3-4
3.3.1 Proposed Alignment	3-4
3.3.2 Stations	3-9
3.3.3 Depot	3-14
3.4 ROLLING STOCK	3-14
3.5 TRACKWORK	3-17
3.6 SYSTEM OPERATION	3-19
3.6.1 Operations Control Centre	3-19
3.6.2 Signaling and Train Control System	3-20
3.6.3 Traction Power Supply System	3-21
3.6.4 Supervisory Control and Data Acquisition	3-21
3.6.5 Passenger Information Display System	3-22
3.6.6 Ticketing	3-22
3.6.7 Feeder Bus System and Park and Ride Facilities	3-22

## TABLE OF CONTENTS

---

3.7	CONSTRUCTION METHODS	3-23
3.7.1	Relocation of Utilities	3-24
3.7.2	Viaduct Construction	3-24
3.7.3	Elevated Station Construction	3-26
3.7.4	Underground Station Construction	3-26
3.7.5	Underground Tunnel Guideway Construction	3-27
3.7.6	Depot Construction	3-27
3.7.6.1	Site Clearing	3-27
3.7.6.2	Earthworks	3-28
3.7.6.3	Construction of Buildings and Supporting Infrastructure and Utilities	3-28
3.8	PROJECT OPTIONS	3-29
3.8.1	No Project Option	3-29
3.8.2	Alignment Options	3-30
3.8.2.1	Alignment Options during the Feasibility Study Stage	3-31
3.8.2.2	Alignment Options during EIA Stage	3-34
3.9	PROJECT IMPLEMENTATION SCHEDULE	3-36

## SECTION 4 : EXISTING ENVIRONMENT

4.1	INTRODUCTION	4-1
4.2	TOPOGRAPHY	4-1
4.2.1	Segment 1 (One Utama Station – Persada PLUS Station)	4-1
4.2.2	Segment 2 (Station 3 – Bukit Raja Station)	4-1
4.2.3	Segment 3 (Kawasan 17 Station – Johan Setia Station)	4-2
4.3	GEOLOGY, SOIL AND GROUNDWATER	4-2
4.3.1	Geology	4-2
4.3.1.1	Geology along Segment 1 (One Utama Station – Persada PLUS Station)	4-2
4.3.1.2	Geology along Segment 2 (Station 3 – Bukit Raja Station)	4-3
4.3.1.3	Geology along Segment 3 (Kawasan 17 Station – Johan Setia Station)	4-3
4.3.2	Soil Investigation	4-4
4.3.2.1	Subsoil Profile along Segment 1 (One Utama Station – Persada PLUS Station)	4-4
4.3.2.2	Subsoil Profile along Segment 2 (Station 3 Station – Bukit Raja Station)	4-4
4.3.2.3	Subsoil Profile along Segment 3 (Kawasan 17 Station – Johan Setia Station)	4-5
4.3.3	Groundwater	4-5
4.4	LAND USE	4-6
4.4.1	Land Use along the LRT3 Line	4-6
4.4.1.1	Segment 1A: One Utama Station – Tropicana Station	4-6
4.4.1.2	Segment 1B: Lien Hoe Station – Persada PLUS Station	4-7
4.4.1.3	Segment 2A: Station 3 Station – Persiaran Hishamuddin Station	4-9
4.4.1.4	Segment 2B: Section 14 Station – Bukit Raja Station	4-10
4.4.1.5	Segment 3A: Kawasan 17 Station – Sri Andalas Station	4-11
4.4.1.6	Segment 3B: Tesco Bukit Tinggi Station to Johan Setia Station	4-13
4.4.2	Land Use at Depot Area	4-15
4.4.3	Bandar Klang Selatan – The Proposed Tourist Attraction Zone	4-26

## TABLE OF CONTENTS

---

4.4.4	Proposed Land Use	4-28
4.4.4.1	Segment 1 (One Utama Station – Persada PLUS Station)	4-28
4.4.4.2	Segment 2 (Station 3 Station – Bukit Raja Station)	4-29
4.4.4.3	Segment 3 (Kawasan 17 Station – Johan Setia Station)	4-29
4.5	CLIMATE	4-30
4.5.1	Rainfall	4-30
4.5.2	Temperature	4-30
4.5.3	Relative Humidity	4-30
4.5.4	Surface Wind	4-31
4.6	HYDROLOGY AND WATER RESOURCES	4-31
4.6.1	River Catchment Area	4-31
4.6.2	Drainage System and River System	4-31
4.6.3	Flood Prone Area	4-32
4.6.3.1	Flood Prone Areas in Petaling Jaya	4-33
4.6.3.2	Flood Prone Areas in Shah Alam	4-33
4.6.3.3	Flood Prone Areas in Klang	4-34
4.7	NOISE AND VIBRATION	4-34
4.7.1	Noise	4-34
4.7.2	Vibration Level	4-44
4.8	AIR QUALITY	4-47
4.9	WATER QUALITY	4-49
4.9.1	Water Quality Results	4-50
4.10	ECOLOGY	4-54
4.11	SOCIO ECONOMIC ENVIRONMENT	4-55
4.11.1	Regional Context	4-55
4.11.2	Social Profile within the Impact Zone	4-58
4.12	EXISTING ROAD TRAFFIC CONDITION	4-63

## SECTION 5 : PUBLIC PERCEPTION AND STAKEHOLDER FEEDBACK

5.1	INTRODUCTION	5-1
5.2	PERCEPTION SURVEY	5-1
5.2.1	Methodology	5-2
5.2.2	Socio-economic Characteristics of Respondents and their Satisfaction of Existing Neighbourhood	5-3
5.2.3	Perceptions on LRT3 Project	5-8
5.2.4	Quantitative Impact Assessment	5-12
5.2.5	Perceptions on Proximity to Alignment and Stations	5-18
5.3	STAKEHOLDER ENGAGEMENTS	5-20
5.3.1	Perceptions from Case Interviews	5-22
A.	Positive Perception	5-22
B.	Negative Perceptions	5-22
5.3.2	Perceptions from FGDs and Public Dialogues	5-24
5.4	FEEDBACK ON THE AMENDMENT TO PROPOSED LRT3 ALIGNMENT	5-30
5.4.1	Feedback from Kg Sg Kayu Ara on the Change of Alignment from Bandar Utama to Kg Sg Kayu Ara	5-31
5.4.2	Feedback on the Change of Amendment stations at Kawasan 17 and Jalan Tengku Kelana in Klang	5-33

## TABLE OF CONTENTS

---

5.5	PERCEPTIONS ON MITIGATING ACTIONS AND COMMUNICATION MEASURES	5-36
-----	--	------

### SECTION 6 : POTENTIALLY SIGNIFICANT IMPACTS AND MITIGATION MEASURES DURING THE CONSTRUCTION STAGE

6.1	INTRODUCTION	6-1
6.2	SENSITIVE RECEPTORS	6-1
6.3	POTENTIALLY SIGNIFICANT IMPACTS AND MITIGATION MEASURES DURING PRE-CONSTRUCTION STAGE	6-1
6.3.1	Land and Property Acquisition	6-1
6.3.2	Utilities Relocation	6-4
6.4	POTENTIALLY SIGNIFICANT IMPACTS AND MITIGATION MEASURES DURING CONSTRUCTION STAGE	6-5
6.5	TRAFFIC CONGESTION	6-6
6.5.1	Traffic Impacts due to Station Construction	6-7
6.5.2	Traffic Impacts due to Viaduct Construction	6-13
6.5.3	Traffic Impacts due to Depot Construction	6-19
6.5.4	General Management Measures To Minimise Traffic Congestion	6-22
6.5.5	Specific Management Measures To Minimise Traffic Congestion	6-23
6.6	NOISE IMPACTS	6-24
6.7	VIBRATION	6-33
6.8	PUBLIC SAFETY	6-36
6.8.1	Hazard Identification	6-37
6.8.2	Likelihood and Severity Estimation	6-37
6.8.3	Risk Evaluation	6-39
6.9	AIR QUALITY	6-41
6.9.1	Methodology	6-42
6.9.2	Results	6-43
6.10	SOIL EROSION AND SEDIMENTATION	6-57
6.10.1	Depot Construction	6-57
6.10.1	Underground Works	6-60
6.10.2	Elevated Works	6-61
6.11	FLOODING AND HYDROLOGY CHANGES	6-62
6.11.1	Depot Construction	6-63
6.11.2	Underground Works	6-64
6.11.3	Elevated Works	6-64
6.12	WATER POLLUTION	6-65
6.13	WASTE GENERATION	6-66
6.14	SOCIAL IMPACTS DURING CONSTRUCTION STAGE	6-68
6.14.1	Social Impacts	6-68
6.14.2	Economic Benefits	6-70

### SECTION 7 : POTENTIALLY SIGNIFICANT IMPACTS AND MITIGATION MEASURES DURING THE OPERATIONAL STAGE

7.1	INTRODUCTION	7-1
7.2	SENSITIVE RECEPTORS	7-1
7.3	POTENTIALLY SIGNIFICANT IMPACTS	7-1

## TABLE OF CONTENTS

---

7.4	NOISE IMPACTS	7-2
7.4.1	Acceptable Noise Limits	7-2
7.4.2	Methodology	7-4
7.4.3	Predicted Noise Levels	7-8
7.4.4	Management Measurese For Noise	7-39
7.5	VIBRATION	7-58
7.5.1	Acceptable Limits for Vibration	7-58
7.5.2	Predicted Vibration Levels	7-59
7.5.3	Vibration Assesement	7-64
7.6	TRAFFIC IMPACTS	7-70
7.6.1	Alleviation of Traffic Congestion	7-70
7.6.2	Localised Congestion In the Vicinity of Stations	7-72
7.6.3	Management Measures	7-73
7.7	VISUAL IMPACTS	7-79
7.7.1	Methodology	7-79
7.7.2	Visual Impact Assessment	7-83
7.7.3	Management Measures for Visual Impacts	7-108
7.7.3.1	Maintenance, Development and Enhancement of Buffer and Landscapes	7-109
7.7.3.2	Restoration of Aesthetics through Physical Readjustments and Creative Designs	7-111
7.7.3.3	Accommodating the Needs of Mobile Receptors	7-114
7.8	AIR QUALITY	7-115
7.8.1	Emission Avoidance	7-116
7.8.2	Air Pollution at Stations	7-118
7.9	PUBLIC SAFETY	7-119
7.9.1	Hazard and Risk Identification	7-119
7.9.2	Risk and Safety Management Measures	7-123
7.10	WATER POLLUTION	7-126
7.11	SOCIO- ECONOMIC IMPACTS	7-128
7.11.1	Impacts to Communities Located Close to the Alignment and Station	7-128
7.11.2	Social and Economic Benefits for the Wider Conurbation	7-129
7.11.3	Land Use Changes	7-131

## SECTION 8 : RESIDUAL IMPACT

8.1	INTRODUCTION	8-1
8.2	ACQUISITION AND RELOCATION	8-1
8.3	NOISE AND VIBRATION IMPACTS	8-1
8.4	TRAFFIC CONGESTION	8-2
8.5	VISUAL IMPACT	8-3

## SECTION 9 : ENVIRONMENTAL MANAGEMENT FRAMEWORK

9.1	INTRODUCTION	9-1
9.2	ENVIRONMENTAL MANAGEMENT OBJECTIVES	9-2
9.3	ORGANISATION STRUCTURE	9-2

## **TABLE OF CONTENTS**

---

9.3.1	Roles and Responsibility	9-2
9.3.2	Line of Communication	9-4
9.4	ENVIRONMENTAL COMMUNICATION	9-6
9.4.1	Community Engagement	9-6
9.4.2	Response to Complaints	9-6
9.5	ENVIRONMENTAL REPORTING	9-7
9.6	ENVIRONMENTAL MONITORING	9-8
9.7	LABORATORY	9-13
9.8	EMERGENCY RESPONSE PLAN	9-14

## **SECTION 10 : CONCLUSION**

10.1	INTRODUCTION	10-1
10.2	ENVIRONMENTAL ASSESSMENT	10-1
10.3	POTENTIAL SIGNIFICANT IMPACTS AND MITIGATION	10-2
10.4	BENEFITS	10-4

## **LIST OF APPENDICES**

<b>APPENDIX A</b>	REFERENCES
<b>APPENDIX B</b>	DEIA CHECKLIST
<b>APPENDIX C</b>	TERMS OF REFENCES APPROVAL
<b>APPENDIX D</b>	BASELINE LABORATORY ANALYSIS REPORT
<b>APPENDIX E</b>	SOCIO- ECONOMIC ASSESSMENT REPORT
<b>APPENDIX F</b>	SOIL EROSION ASSESSMENT

## TABLE OF CONTENTS

---

### LIST OF ABBREVIATIONS

AMS	American Meteorological Society
ATC	Automatic Train Control
ATG	Automatic Ticketing Gates
ATO	Automatic Train Operation
ATS	Automatic Train Supervision
BOD	Biochemical Oxygen Demand
BPK	Blok Perancangan Kecil
BPKS	Blok Perancangan Klang Selatan
BPKU	Blok Perancangan Klang Utara
BRT	Bus Rapid Transit
CBD	Central Business District
CBTC	Communication-based Train Control
COD	Chemical Oxygen Demand
DEFRA	Department for Environment, Food and Rural Affairs
DO	Dissolved Oxygen
DOE	Department of Environment
DOSH	Department of Occupational Safety and Health
EIA	Environmental Impact Assessment
ELITE	North South Expressway Central Link
EM	Environmental Management
EMP	Environmental Management Plan
EMU	Environmental Management Unit
ERP	Emergency Response Plan
ESCP	Erosion and Sedimentation Control Plan
ET	Environmental Team
FGD	Focus Group Discussion
FTA	Federal Transit Administration
GCE	Guthrie Corridor Expressway
GDP	Gross Domestic Product
GHG	Greenhouse Gas
GKL/KV	Greater Kuala Lumpur/Klang Valley
HTAR	Hospital Tengku Ampuan Rahimah
IPCC	Intergovernmental Panel on Climate Change
KESAS	Shah Alam Expressway
KLJE	Kelana Jaya Line Extension
LDP	Lebuhraya Damansara Puchong
LHS	Left Hand Side
LKSA	Lebuhraya Kemuning Shah Alam
LOS	Level of Service
LRT	Light Rail Transit
LRV	Light Rail Vehicle



## TABLE OF CONTENTS

---

MAAQG	Malaysian Ambient Air Quality Guidelines
MBPJ	Majlis Bandaraya Petaling Jaya
MBSA	Majlis Bandaraya Shah Alam
MPK	Majlis Perbandaran Klang
MRT	Mass Rapid Transit
NKVE	New Klang Valley Expressway
NWQS	National Water Quality Standards
OCC	Operations Control Center
PAT	Penilaian Awal Tapak
PDP	Project Delivery Partner
PIDS	Passenger Information Display System
PM <sub>10</sub>	Particulate Matter 10 µm
PRASARANA	Prasarana Malaysia Berhad
PTMP	Public Transport Master Plan
RC	Reinforced Concrete
RHS	Right Hand Side
ROW	Right Of Way
SACC	Shah Alam Convention Centre
SCADA	Supervisory Control and Data Acquisition
SIRIM	Standards and Industrial Research Institute of Malaysia
SKVE	South Klang Valley Expressway
SPAD	Suruhanjaya Pengangkutan Awam Darat
TOD	Transit Oriented Development
TOR	Terms of Reference
TSP	Total Suspended Particulates
TSS	Total Suspended Solids
UiTM	Universiti Teknologi MARA
UPT NKRA	Urban Public Transport National Key Result Areas
URDP	Urban Rail Development Plan
US EPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound
WQI	Water Quality Index
WRI	World Resources Institute

## TABLE OF CONTENTS

---

### LIST OF FIGURES

Figure 1-1	Overview of LRT3 Alignment	1-5
Figure 1-2	Integration of LRT3 with Existing Railways	1-6
Figure 2-1	Proposed Rail Network for Greater KL/Klang Valley	2-3
Figure 2-2	Forecast Travel Demands towards Kuala Lumpur Central Area (AM Peak Hour)	2-4
Figure 3-1	Segment 1 : One Utama Station – Persada PLUS Station	3-37
Figure 3-2	Segment 2 : Station 3 Station – Bukit Raja Station	3-38
Figure 3-3	Segment 3 : Kawasan 17 Station – Johan Setia Station	3-39
Figure 3-4	Typical Side and Island Platform Station	3-40
Figure 3-5	Depot Area at Johan Setia	3-41
Figure 3-6a	Example of Individual Bus Route (Tropicana and Persada PLUS)	3-42
Figure 3-6b	Example of Individual Bus Route (Section 14 and UiTM)	3-43
Figure 3-6c	Example of Individual Bus Route (Sri Andalas and AEON Bukit Tinggi)	3-44
Figure 3-7	Constuction of Viaduct	3-45
Figure 3-8	Top-Down Construction Method for Tunnel Station	3-46
Figure 3-9	Bottom-Up Construction Method for Underground Station	3-47
Figure 3-10	Top-Down Construction Method for Underground Tunnel Guideway	3-48
Figure 3-11	Bottom-Up Construction Method for Underground Tunnel Guideway	3-49
Figure 3-12	LRT3 Feasibility Study Corridor	3-50
Figure 3-13	Alignment Options (Feasibility Study)	3-51
Figure 3-14	Kelana Jaya to Bandar Utama Alignment Options – Feasibility Study	3-52
Figure 3-15	Shah Alam Alignment Options – Feasibility Study	3-53
Figure 3-16	Klang Alignment Options – Feasibility Study	3-54
Figure 3-17	Bandar Utama Alignment Options – EIA Stage	3-55
Figure 3-18	Klang Alignment Options – EIA Stage	3-56
Figure 3-19	Bukit Raja Alignment Options – EIA Stage	3-57
Figure 4-1	Terrain along the LRT3 Alignment	4-73
Figure 4-2	Geology along the LRT3 Alignment	4-74
Figure 4-3	Location of Boreholes	4-75
Figure 4-4a	Land Use along Segment 1A	4-76
Figure 4-4b	Land Use along Segment 1B	4-77
Figure 4-4c	Land Use along Segment 2A	4-78
Figure 4-4d	Land Use along Segment 2B	4-79
Figure 4-4e	Land Use along Segment 3A	4-80
Figure 4-4f	Land Use along Segment 3B	4-81
Figure 4-5	Land Use at Depot Area (3 km)	4-82
Figure 4-6	Bandar Klang Selatan – The Proposed Tourist Attraction Zone	4-83
Figure 4-7a	Average Monthly Rainfall, Raindays, Temperature and Humidity for 1990 – 2013	4-84

## TABLE OF CONTENTS

---

Figure 4-7b	Annual Wind Rose	4-85
Figure 4-8	River Crossings along Alignment	4-86
Figure 4-9	Flood Prone Areas Along Alignment	4-87
Figure 4-10a	Baseline Sampling Locations along Segment 1 : One Utama Station – Persada PLUS Station	4-88
Figure 4-10b	Baseline Sampling Locations along Segment 2 : Station 3 Station – Bukit Raja Station	4-89
Figure 4-10c	Baseline Sampling Locations along Segment 3 : Kawasan 17 Station – Johan Setia Station	4-90
Figure 6-1	EIA Matrix for Pre-Construction Stage	6-74
Figure 6-2	EIA Matrix for Construction Stage	6-75
Figure 6-2a	Location of Water Pipe Relocation (Sheet 1)	6-76
Figure 6-3b	Location of Water Pipe Relocation (Sheet 2)	6-77
Figure 6-4	Soil Loss Map – Depot Area (Worst Case Scenario)	6-78
Figure 6-5	Conceptual Erosion and Sediment Control Plan for Depot Area	6-79
Figure 6-6	Conceptual Erosion and Sediment Control Plan for Underground Works	6-80
Figure 6-7	Conceptual Erosion and Sediment Control Plan for Elevated Works	6-81
Figure 7-1	EIA Matrix for Operational Stage	7-135
Figure 9-1a	Proposed Locations of Environmental Monitoring along Segment 1 : One Utama Station – Persada PLUS Station	9-15
Figure 9-1b	Proposed Locations of Environmental Monitoring along Segment Segment 2 : Station 3 Station – Bukit Raja Station	9-16
Figure 9-1c	Proposed Locations of Environmental Monitoring along Segment Segment 3 : Kawasan 17 Station – Johan Setia Station	9-17
Figure 9-2	Proposed Silt Trap Discharge At Depot Area	9-18

## TABLE OF CONTENTS

---

### LIST OF TABLES

Table 1-1	Coordinates for the Project (Starting Point and Termination Point)	1-2
Table 3-1	Design Criteria	3-3
Table 3-2	Station to Station – Distances	3-8
Table 3-3	Proposed Stations – Features and Catchment Areas	3-12
Table 3-4	Design Standards for Rolling Stock and Guide Way	3-15
Table 3-5	Overall Track Specifications	3-18
Table 3-6	Parking Bays for Park and Ride Stations	3-23
Table 3-7	Potential Utilities Relocation	3-24
Table 3-8	Potential Locations for Balanced Cantilever Method	3-25
Table 4-1a	Geological Formation along One Utama – Persada PLUS	4-3
Table 4-1b	Geological Formation along Station 3 – Bukit Raja	4-3
Table 4-1c	Geological Formation along Kawasan 17 – Johan Setia	4-4
Table 4-2	Groundwater Level	4-5
Table 4-3a	Land Use along Segment 1A (Sg Kayu Ara, SPRINT Highway)	4-6
Table 4-3b	Land Use along Segment 1B (NKVE and Jalan Lapangan Terbang Subang)	4-7
Table 4-3c	Areas under MBPJ Traverses by LRT3 Line	4-8
Table 4-4a	Land Use along Segment 2A (Persiaran Kerjaya, Persiaran Sukan and Persiaran Hishamuddin)	4-9
Table 4-4b	Land Use along Segment 2B (Persiaran Dato' Menteri, Federal Highway, Persiaran Kayangan, Persiaran Permai, Lebu Keluli)	4-10
Table 4-4c	Areas under MBSA Traversed by LRT3 Line	4-11
Table 4-5a	Land Use along Segment 3A (Lebuhraya Selat Klang, Persiaran Bukit Raja, Jalan Meru, Jalan Jambatan Kota, Persiaran Tengku Ampuan Rahimah)	4-12
Table 4-5b	Land Use along Segment 3B (Jalan Langat, Jalan Klang Banting)	4-14
Table 4-5c	Areas under MPK Traversed by LRT3 Line	4-15
Table 4-6	Land Use within 3 km from the Depot Area	4-16
Table 4-7	Category of Heritage Building and Description	4-27
Table 4-8a	Proposed Projects along Segment 1	4-28
Table 4-8b	Proposed Developments along Segment 2	4-29
Table 4-8c	Proposed Developments along Segment 3	4-29
Table 4-9	Major River Crossings	4-32
Table 4-10a	Flood Prone Areas in Petaling Jaya	4-33
Table 4-10b	Flood Prone Areas in Shah Alam	4-34
Table 4-10c	Flood Prone Areas in Klang	4-34
Table 4-11	Noise Level Monitoring Points	4-35
Table 4-12	Noise Level Monitoring Results	4-37
Table 4-13	Vibration Monitoring Results	4-46
Table 4-14	Air Quality Monitoring Locations	4-48
Table 4-15	Air Quality Monitoring Results	4-48
Table 4-16	Location of Water Sampling Points	4-49
Table 4-17a	Water Quality at Station W1 to W5	4-53

## TABLE OF CONTENTS

---

Table 4-17b	Water Quality at Station W6 to W9	4-54
Table 4-18a	Total Population for 2010 by Sub-zone	4-58
Table 4-18b	Total Household and Living Quarters for 2010 by Sub-zone	4-59
Table 4-19a	Impact Zone – Total Population by Ethnicity and Subzone for 2010	4-60
Table 4-19b	Impact Zone – Population by Gender and Subzone for 2010	4-60
Table 4-20	Impact Zone – Population by Age Structure by Subzone for 2010	4-61
Table 4-21	Impact Zone -Employment by Subzone for 2010	4-62
Table 4-22	Impact Zone – Employment by Occupational Skill and Subzone by 2010	4-62
Table 4-23	Impact Zone – Employment by Main Economic Sector and Subzone, 2010	4-63
Table 4-24	Proposed Station and Roads Adjacent to the Station	4-64
Table 4-25	Existing Traffic Conditions	4-71
Table 5-1	Distribution of Survey Zone and Respondent Type	5-2
Table 5-2	Distribution of Respondent between 20 m Zone and 21 m – 400 Zone	5-4
Table 5-3	Weighted Environment Satisfaction Index by Survey Zone	5-7
Table 5-4	Weighted Environment Satisfaction Index	5-7
Table 5-5	Awareness of the LRT3 Project	5-8
Table 5-6	Main Source of Information about the Project	5-9
Table 5-7	Support for LRT3 by Survey Zones	5-10
Table 5-8	Support for LRT3 by Location	5-10
Table 5-9	Perception on Anticipated Impacts from the Project	5-11
Table 5-10	Anticipated Personal Impacts from LRT3 by Location	5-11
Table 5-11	Respondents Perception of Positive and Negative Impacts	5-11
Table 5-12	Importance of Impacts of Proposed LRT3	5-12
Table 5-13	Quantitative Assessment of Impacts of the LRT by Survey Zone	5-13
Table 5-14	Quantitative Assessment of Impacts of the LRT by Proximity to Alignment and Station	5-15
Table 5-15	Mean Perception Scores of Impacts by Proximity to Alignment and Station	5-17
Table 5-16	Survey Zone – Perceptions on Proximity to Alignment and Station	5-19
Table 5-17	Perceptions on Proximity to Alignment and Station by Location	5-20
Table 5-18	List of Case Interviews, FGDs and Public Dialogues	5-21
Table 5-19	Mitigation Measures Ranked by Survey Zones	5-37
Table 5-20	Preferred Modes of Communication	5-38
Table 6-1	Breakdown of Potentially Affected Lots by Segment	6-2
Table 6-2	Potential Impacts during Construction Stage	6-6
Table 6-3	Potential Impacts During Station Construction (One Utama to Persada PLUS Station)	6-8
Table 6-4	Potential Impacts During Station Construction (Station 3 – Bukit Raja Station)	6-11

## TABLE OF CONTENTS

---

Table 6-5	Potential Impacts During Station Construction (Kawasan 17 – Johan Setia Station)	6-13
Table 6-6	Potential Impacts During Viaduct Construction (One Utama to Persada PLUS Station)	6-14
Table 6-6	Potential Impacts During Viaduct Construction (One Utama to Persada PLUS Station) (Cont'd)	6-15
Table 6-7	Potential Impacts During Viaduct Construction (Station 3 – Bukit Raja Station)	6-16
Table 6-8	Potential Impacts During Viaduct Construction (Kawasan 17 – Johan Setia Station)	6-18
Table 6-9	Level of Services	6-21
Table 6-10	Specific Mitigation Strategies for Selected Road Sections	6-23
Table 6-11	Maximum Permissible Sound Level Of Construction, Maintenance and Demolition Works By Receiving Land Use	6-25
Table 6-12	Typical Sound Power Levels for Typical Construction Equipments	6-26
Table 6-13	Limit For Damage Risk In Buildings From Short Term Vibration	6-33
Table 6-14	Likelihood and Severity Categories	6-38
Table 6-15	Likelihood and Severity Score of the Potential Hazard Identified	6-38
Table 6-16	Risk Matrix	6-39
Table 6-17a	Predicted Maximum Average Incremental Concentration of TSP (in $\mu\text{g}/\text{m}^3$ ) during Construction of Johan Setia Depot (24-Hour Averaging Time)	6-44
Table 6-17b	Predicted Maximum Average Incremental Concentration of TSP (in $\mu\text{g}/\text{m}^3$ ) during Construction of Johan Setia Depot (Annual Average)	6-45
Table 6-17c	Predicted Maximum Average Incremental Concentration of TSP (in $\mu\text{g}/\text{m}^3$ ) during Construction of Underground Stretch (24-Hour Averaging Time and Annual Average)	6-46
Table 6-18	Soil Erosion and Sedimentation Contribution	6-57
Table 6-19	Soil Loss Tolerance Rates from Erosion Risk Map of Malaysia	6-58
Table 7-1	Limiting Sound Level for Railways Including Transits (For New Development and Re-alignments)	7-2
Table 7-2	Recommended Limits based on Existing Noise Levels	7-3
Table 7-3	Anticipated Community Response to Noise	7-3
Table 7-4	Measured and Predicted Noise Levels and $L_{\text{max}}$ Pass-By	7-25
Table 7-5	Measured and Predicted Noise Levels Noise Levels and $L_{\text{eq}}$	7-28
Table 7-6	Summary of Predicted Noise Levels with LRT3 Operations (Without Mitigation Measures)	7-31
Table 7-7(a)	Locations With Trains Pass-By Noise $L_{\text{max}} > 75$ dBA (Without Mitigation Measures)	7-33
Table 7-7b	Areas Identified With Residual Impact From LRT3 Operations (Without Mitigation Measures)	7-34
Table 7-8	Major Influence Parameters on Railways Track Noise	7-40
Table 7-9	Comparison of Noise Mitigation Measures and Effectiveness	7-43
Table 7-10	Tentative Locations to be Installed with Noise Barriers*	7-53
Table 7-11	Recommended Limits for Human Response and Annoyance from Steady State Vibrations	7-59

## TABLE OF CONTENTS

---

Table 7-12	Distances for Buildings to be Screened for Vibrations from Trains	7-60
Table 7-13	Summary of Predicted Vibrations to Receptors from LRT3 Operations	7-64
Table 7-14	Traffic Issues and Management Measures at Selected Stations	7-74
Table 9-1	Proposed Environmental Roles and Responsibility	9-3
Table 9-2	Types of Reporting Proposed for The Project	9-7
Table 9-3	Provision Locations For Noise Level Monitoring	9-9
Table 9-4	Provision Locations of Water Sampling	9-11
Table 9-5	Provision Locations For Air Quality Monitoring	9-12

## LIST OF CHARTS

Chart 4-1a	Population in Selangor and MPK, MBSA & MBPJ, 2010 – 2013 (in '000)	4-56
Chart 4-1b	Population in MPK, MBSA & MBPJ, 2010 – 2013 and in 2020 (in '000)	4-56
Chart 4-2	Population in the LRT3 Corridor, 2010 – 2013 and in 2020 (in '000)	4-57
Chart 4-3	Distribution of Population by Ethnicity and Gender in the Impact Zone for 2010	4-60
Chart 5-1	Distribution of Respondents by Age Group	5-3
Chart 5-2	Distribution of Respondents by Employment Status	5-3
Chart 5-3	Distribution of Monthly Household Income of Respondents	5-4
Chart 5-4	Distribution of Types of Premises in Survey Zones	5-5
Chart 5-5	Distribution of Tenure of Premises in Survey Zones	5-5
Chart 5-6	Satisfaction with Existing Neighbourhood	5-6
Chart 5-7	Satisfaction with Existing Neighbourhood for Those in the 20 m and in 21 m – 400 m Zones	5-6
Chart 5-8	Awareness of LRT3 and Extent of Awareness	5-8
Chart 5-9	Overall Acceptance of Proximity to Alignment and Station	5-18
Chart 6-1	Noise Propagation from Construction of Piers (Without Mitigation)	6-27
Chart 6-2	Noise Propagation from Construction of Piers (With Mitigation)	6-27
Chart 6-3	Typical Vibration from Bored Piling in Malaysian Construction Works (Penang Bridge widening works)	6-34
Chart 6-4	Measured vibration from bored piling in MRT1 Project	6-34
Chart 6-5	HIRARC Methodology	6-37
Chart 6-6	Predicted 24-Hours Maximum Average Incremental Concentration of TSP for Depot Area (90% Reduction)	6-48
Chart 6-7	Predicted Annual Maximum Average Incremental Concentration of TSP for Depot Area (90% Reduction)	6-50
Chart 6-8	Predicted 24-Hours Maximum Average Incremental Concentration of TSP for Underground Works (90% Reduction)	6-52

## TABLE OF CONTENTS

---

Chart 6-9	Predicted Annual Maximum Average Incremental Concentration of TSP for Underground Work (90% Reduction)	6-53
Chart 6-10	Sediment Treatment Process	6-61
Chart 7-1	Typical LRT Pass Noise Levels Versus Time for Ampang Line	7-6
Chart 7-2	3-D Noise Model at Kelana Jaya (Kelana D'Putera Condo)	7-8
Chart 7-3	Noise Contours in Plan View at Kelana Jaya Area	7-9
Chart 7-4	Cross Sections of Noise Model at Kelana Jaya (Kelana D'Putera Condo)	7-9
Chart 7-5	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Damansara Utama Area	7-10
Chart 7-6	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Puncak Damansara & Jalan Tropicana Selatan area	7-11
Chart 7-7	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Puncak Damansara & Jalan Tropicana Selatan area	7-12
Chart 7-8	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Glenmarie / Persiaran Kerjaya area	7-13
Chart 7-9	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Shah Alam Stadium area	7-14
Chart 7-10	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Seksyen 14 area	7-15
Chart 7-11	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. UiTM / Jalan Plumbum area	7-16
Chart 7-12	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Jalan Plumbum / Persiaran Permai Bestari area	7-17
Chart 7-13	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Bukit Raja & Bandar Baru Kelang area	7-18
Chart 7-14	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Pekan Baru / Jalan Kelicap / Meru areas	7-19
Chart 7-15	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Kawasan 1 / Klang Town Centre	7-20
Chart 7-16	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Jalan Langat Klang area.	7-21
Chart 7-17	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Gambus / Bandar Botanik areas.	7-22
Chart 7-18	Noise Maps $L_{max}$ for LRT3 Trains Pass-By. Bandar ParkLands area.	7-23
Chart 7-19	Aerial Map of Temasya Station Showing Traffic Flow	7-35
Chart 7-20	Noise Contours around Temasya Station (Baseline)	7-36
Chart 7-21	Noise Contours around Temasya Station (100% Increase Traffic Volume)	7-36
Chart 7-22	Aerial Map of Kawasan 17 Station Showing Traffic Flow	7-37
Chart 7-23	Noise Contours around Kawasan 17 Station (Baseline)	7-38
Chart 7-24	Noise Contours around Kawasan 17 Station (100% Increase Traffic Volume)	7-38
Chart 7-25	Reduction Measures to Address Trains Pass-By Noise	7-41
Chart 7-26	Typical Absorptive Metal Noise Barriers	7-44
Chart 7-27	Metal Absorptive Noise Barriers Used For Railways Noise Mitigation	7-45
Chart 7-28	Absorptive Noise Barriers With Clear Panels	7-45



## TABLE OF CONTENTS

---

Chart 7-29	Diffusive and Reflective Transparent Noise Barrier	7-46
Chart 7-30	Absorptive Metal Noise Barrier (West Rail Hong Kong)	7-47
Chart 7-31	Full Enclosure for Noise Mitigation Adjacent High Rise Buildings (West Rail Hong Kong)	7-48
Chart 7-32	Acoustically Reflective Transparent (PMMA) Noise Barrier (Germany)	7-48
Chart 7-33	Transparent Polycarbonate Noise Barrier	7-49
Chart 7-34	Noise Barrier with Architectural Aesthetic Screen	7-50
Chart 7-35	Full Enclosure with Architectural Aesthetic Screen	7-50
Chart 7-36	Perforated Mesh Screen Used in Singapore MRT Jurong Line	7-51
Chart 7-37	Metal Acoustics Noise Barrier with Colour Scheme	7-51
Chart 7-38	Full Enclosure - Metal and Clear Panels with Colour Scheme	7-52
Chart 7-39	New Generation Low Visual Impact Full Enclosure	7-52
Chart 7-40	Noise Propagation ( $L_{max}$ ) Without Mitigation	7-54
Chart 7-41	Noise Propagation ( $L_{max}$ ) with 3.5m Noise Barrier	7-54
Chart 7-42	Noise Propagation ( $L_{max}$ ) with 4.5m Noise Barrier	7-55
Chart 7-43	Noise Propagation ( $L_{max}$ ) Without Mitigation	7-55
Chart 7-44	Noise Propagation ( $L_{max}$ ) with 3.5m Noise Barrier	7-56
Chart 7-45	Noise Propagation ( $L_{max}$ ) with 4.2m Noise Barrier	7-56
Chart 7-46	Noise Propagation from LRT3 Pass-By ( $L_{max}$ ) with Semi-Enclosure	7-57
Chart 7-47	Ground-Borne Vibration Propagation from Railways	7-61
Chart 7-48	Typical Force Densities for Rail Transit Vehicles, 65 km/hr	7-62
Chart 7-49	Typical Line Source Transfer Mobility	7-62
Chart 7-50	Foundation Response for Various Types of Buildings	7-63
Chart 7-51	Predicted Vibrations in 2 Stories Houses 15m from Viaduct Pier (Good Wheels and Track Conditions)	7-65
Chart 7-52	Predicted Vibrations in 2 Stories Houses 30m from Viaduct Pier (Good Wheels and Track Conditions)	7-65
Chart 7-53	Predicted Vibrations in 1st Floor High Rise 15m from Viaduct Pier (Good Wheels and Track Conditions)	7-66
Chart 7-54	Predicted Vibrations in 1st Floor High Rise Condo 30m from Viaduct Pier (Good Wheels and Track Conditions)	7-66
Chart 7-55	Major Sources of CO <sub>2</sub> Emissions	7-115
Chart 9-1	Proposed Organisation Structure for Environmental Management	9-5